

20b Douglas Avenue | Chelsea















Beachfront Luxury

Understated elegance describes this home perfectly. Clean lines, and carefully considered details add to a sense of simplicity and sophistication. With the focus on the natural materials and optimising light, the stunning views of Port Phillip Bay take centre stage all while ensuring a harmonious blend of form and function.

At the heart of this design is a central courtyard on the first floor. It serves as a focal point bringing the outdoors in. Surrounded by ceiling to floor glass, it effortlessly becomes an extension of the interior, creating the perfect gathering spot protected from the winds off the Bay.

A relaxed colour palette throughout the home was a natural choice, with soft coastal tones and materials that echo the surrounding sand dunes. The home has a soft hue formed by varying angles that create pockets of light while highlighting the interaction of shadows and warmth providing a soothing and inviting space.

INCLUSIONS:

Ground Floor

- 2 bedrooms
- Retreat
- Family bathroom with freestanding bath
- Lift provision
- Laundry
- Deck and courtyard


First Floor

- Kitchen, dining and living opening to a balcony with Bay views
- Internal courtyard Alfresco
- Separate powder room
- Generous Master with large "his & hers" walk in robe
- Ensuite with double sinks and stunning curved shower

Isn't it time to elevate your life in a home that's been impeccably designed and built with attention to detail at every turn? You deserve the best that Bayside living has to offer, and it all starts here.

Contact us today to find out more.





Features

General

- Walk in store with Wine cellar (fridge included) •
- Full Security with cameras
- Keyless entry
- Maintenance free composite decking
- External Shower
- Wool Carpets •
- Fitted out Mud room
- LED feature lighting throughout
- Provision for future lift + solar power
- Ducted heating / cooling
- Mechanical blind to bed 1-facade

Kitchen

- 2 PAC cabinetry
- Feature Porcelain bench tops
- 900mm induction cooking
- Double ovens
- Integrated fridge
- Stone splash back
- Dedicated HWS in island bench
- Appliance cupboard

Alfresco

- Mechanical louvered roof
- Built in BBQ
- Electric strip heater

Bathrooms

- LED Lighting

Garage

- EV charging point
- Walk In store room
- Shelving fit out

• Built in Shaving Cabinet Concealed cistern toilets • Fully tiled with frameless shower screen






20b Douglas Avenue Chelsea

Bedroom	3
Bathroom	2
Powder Room	1
Walk in Robe	1
Living	2
Single Garage	1
Storage Room	1
Deck	2
Balcony	1
Lift Provision	1

Area Summary

Land Size	250.5m ²
Ground Floo	r 113.3m ²
First Floor	122.0m ²
Garage	27.8m ²
Balcony	6.2m ²
Internal Decl	k 14.9m ²
TOTAL	284.2m ² / 30.6sq

These plans are the property of Lowe Design & Build and cannot be reproduced in any form without prior written consent.



- LOCATION 360m to the shops
 - Steps to the beach
 - 700m to the station





Marketing Specification

Site Address: 20b Douglas Ave, Chelsea

Client: Sale Unit

Date: 10.10.2023

Structure

-

Item / Location	Descript
Foundations	
Slab	Engineer to suit so
Termite Protection	TermiCO and pen
Flyscreens	Included
Framing	
Party Wall System	Hebel In 75mm H accordai specifica
Ceiling Heights - Ground Floor	2720mm
Ceiling Heights - First Floor	2720mm
Window head height - Ground Floor	2400mm
Window head height - First Floor	2700mm 3770mm
Pelmet	
Recessed Pelmet	Specifica space Size: W22 Location Note: Wi
Niches	
Metal Niche	Ensuite s

Specifications May Be Subject To Change.

These specifications are an example of the type of the inclusions and may be subject to change. Customisation of the interiors is available to the buyer, prior to construction. Please confirm final specifications prior to signing the contract.

tion

designed reinforced slab on ground bil conditions as listed in soil report.

DAT termite treatment to perimeter netrations to AS3660.

to openable windows only

ntertenancy Wall Systems Hebel PowerPanel installed in ance with the manufacturers ation

high

n high

n high

high Popup

ation: Recessed pelemet into ceiling

20mm x H150mm clear n: Bed 1 /indow furnshings not included

shower



General

Item / Location	Description	Item / Location	Description
General Plumbing		Louver roof	Type: Eclipse Open
BBQ Gas Point	Description: Gas Point with bayonet fitting Location: First Floor Internal Deck Qty: 1		system Colour: Powdercoat Motor: Remote con
Taps	Decription: Chrome plated brass garden tap Location: Front, side & Rear Garden + FF Decks Qty: 5	Evaya Blind	Type: EV93D - Evaya Colour: To match w Controls: Remote
Capped Cold Water	Description: Capped cold water point Location: Above fridge cavity Height: 2050mm Qty: 1	Flyscreens	Frame: Powder coa Mesh: Fibreglass Me Colour: To match w
Hot Water System	Description: Rinnai Infinity 26 External Gas Hot Water System Installed in a Rinnai Recessed Smartbox Qty: 1	Glazing	Clear: Clear Double Obscure: Décor Sat
Fire Place Gas point	Provision provided to Living room	Aluminium Doors &	
Floor Waste	Specification: 80mm chrome square grate (202113) with custom linear grate	Hinged Door Hardware	Specification: Andc Handle Colour: To match w
Water Tank	Location: Internal showers Type: Slimline Poly Water Tank	Sliding Door Hardware	Specification: Ando Door Lock
	Size: 1970H x 2920L x 580W Capacity: 3,000L Colour: Monument Supplier: All Oz Tanks	Sliding Window Hardware	Colour: To match w Specification: Andc Keyed Lock Colour: To match w
	Pump & Filter: HHR370S Submersible mains changeover pump	Awning Window Hardware	Specification: Keye Colour: To match w
Aluminium Doors, Wir	ndows, Blinds & Roofs		
Window Frames	Frame: Aluminium with Powdercoat finish Colour: Textura Black	External Doors	
Laundry Door	Furniture Colour: Textura Black Type: Fully glazed aluminium hinged door & frame with	Entry Door	Type: Glazed infill d Frame: Timber Size: Refer to plans
	clear glass Colour: As per Window colour above Glazing: Obscure	Garage To House Door	Type: Redicote flus

	Image
ning (louvred) roof	
ated Lexicon Quarter ntrol with Rainsensor	
ya external venetion window frames	
ated Aluminium lesh window frame	
e glazing throughout atin Viridian Glass	
lo Locking Lever	•
window frame	
lo Twin Point Sliding	(IT)
window frame	44
lo Sliding Window	120
window frame	-
ed Chainwinder window frame	570
door	
S	
sh panel (6.0mm skin)	



General

Item / Location	Description	Image	Item / Location	Description
Main Garage Door	Type: Sectional Door Supplier: Dandenong Garage Doors Finish: Ply door with 42 x 30mm LOSP battens - Concealed Fix Colour: Grey Pebble Qrt Remote: Included with 2 handsets & bell press		Foam Cladding (RF)	Grade: M Description: M Grac cladding Size: 75mm Finish: Rendered Application: 2 Coats Acrylic Rend
External Door Hardwar	e			2 Coat Acrylic Rend 1 Coat Rendertex Co
Entry Door Lever	Zanda Boston lever (fixed externally) Supplier: Zanda Specifications: 63mm Rosette, 120mm L Finish: Brushed Nickel		Hebel Cladding (HB)	Description: Hebel I in accordance with specification. Size: 50mm
Door Lever Garage to House	Zanda Boston lever (fixed externally) Supplier: Zanda Specifications: 63mm Rosette, 120mm L Finish: Brushed Nickel			Finish: Rendered Application: 2 Coats Base Coat 2 Coat Acrylic Rend 1 Coat Rendertex Co
Mortice Lock Entry Door Garage to House	Lockwood Synergy Vestibule Mortice Lock Supplier: Lockwood Architectural Specification: 60mm backset, with 2x LW 570 single cylinder (oval) SC-Z 5PK Code: 3572TSC		Scyon Axon Cladding (AXC)	Supplier: James Har Description: Scyon Specification: 133mr spacing Surface Texture: Sm Reveal Window Trim 45x38mm Corner Trim: Alumin
Exterior Cladding				
Adbri Masonry Blocks (BL)	Description: Adbri Masonry coloured blocks		Scyon Matrix Cladding (MXC)	Supplier: James Hai Description: Scyon
	Size: 390 x 190 x 90mm Finish: Smooth face Colour: Steel Mortar - Sand: White Mortar - Cement: Grey Joint Type: Rolled Bond: Stretcherbond		LOSP Battens (TSC)	Description: LOSP b Batten Size: 40 x 30 Spacings: 40mm Batten Finish: Painte Batten Colour: Grey Substrate/Lining: 9n Plywood Substrate/Lining Cc Qrt

Image

rade polystyrene	
ender Base Coat ender Top Coat & Coloured Membrane	
el PowerPanel installed ith the manufacturers	
oats Acrylic Render	
ender Top Coat Coloured Membrane	
Hardie on Axon Cladding imm wide groove	
Smooth Trim: Axent Trim	
minium Angle	
Hardie on Matrix Cladding	
P battens 30mm	
nted rey Pebble Qrt : 9mm Exterior Grade	
Colour: Grey Pebble	



General

Electrical

tem / Location	Description	Image	Item / Location
eating & Cooling			Electrical
Equipment	Type: Electric Reverse Cycle Split Ducted System Supplier: Fujitsu		Powerpoints
Internal Cassette Internal Cassette located in first floor space Model: ARTG60LHTA (three phase) Zones: Ground Floor: X1 zone for GF	Weatherproof Powerpoint		
External Condenser	First Floor: X2 zone Recommended to only use 2 zone at a time to run at full capacity 1 x External Condenser unit		Ducted Exhaust Far
	Model: AOTG60LATT (three phase) Zones: Ground Floor: X1 zone for GF First Floor: X2 zone		Switch Plates
Thermostat	Recommended to only use 2 zone at a time to run at full capacity Specification: Backlit Controller Location: Refer to plans Qty: 2		Provision for NBN
System zoning	zoning 3 x Zones - Ground floor and 2 x first floor LED Strip Lightin	LED Strip Lighting	
			Solar Power
			Solar Skylights

Image llection Power Point White (VW) hield Double Power EE istant White Electric 4 4 aust Fan with Plastic cted to Outside with

000

ollection Switch Plates White (VW) lly

from Madison box to typically in garage) ison Box: Garage Point - Wired Back to

up to 5 meters) with lsion neter hite a & Entry Feature Wall, oom, Pwd Room

ime solar skylights essed m

Qty: 1



Electrical

Item / Location	Description	Image
Fixed Lighting		
Internal Low Voltage Downlights	Domus Deep-13 Recessed Dimmable LED Downlight Specification: 90mm Dia. Lamp: LED 13W Temp: 3000K Warm White Finish: White Code: DEEP-13-WW	
Stainless Steel External Downlight	Gentech Stainless Steel Downlight Lamp: LED 50w Finish: 316 Grade SS Code: G822R Location: Porch	
Garage Lights	Philips SmartBright LED Batten Specifications: L1200mm Lamp: LED 40w	
IXL	Tastic Triumph 3 in 1 - 375W Ensuite Heater, Exhaust Fan & Light Finish: White Code: 11312 Location: Ensuite	6
Security		
Intercom	Dorani Touch Video Intercom 1x Front Door Station 1x Touch Screen 2 x Room Station	
Electric Strike – Entry Door	Pre-Load Electric Strike Brand: Lockwood Code: ES9000	
Alarm System	Ness Alarm & Siren 3x Detectors 1x External Combination Strobe & Siren 1x Panel & Keypad	
Security Cameras	5x Hikvision Cameras	5

Internal Linings, Doors & Architraves

Item / Location	Description
Internal Linings	
Ceiling Linings	10mm CSR Gyprock
Sound Proof Cielings- Bed 2 & 3	2 Layers 10mm plas
Wall Linings - general	10mm CSR Gyprock
Wall Linings - Wet areas	6mm James Hardie Location: Shower co backing
Wall Linings - Porta Battens	Specification: Porta Supplier: Porta Profile: Riverine Size: L2700mm Location: GF Hall/Ei
Comice	Square Set through
Internal Doors	
Internal Door	Type: Redicote flush Height: 2340mm
Cavity Slider	Type: Redicote flush Height: 2340mm Grooving: Bottom r
Full Height Slider	Type: Redicote flush p Track: Concealed/m Reveal: Plaster revea Height: 2700mm Grooving: Bottom r Location: GF Hallwa
Architrave & Skirting	
Architraves	Specification: Single Size: 42x12mm Material: Pre Primeo Location: Througho
Architraves - Wet Areas Only	Specification: Single Size: 42x18mm Material: Pre Primeo Location: Wet Areas

Image

k SupaCeil

ster. Mounted on acoustic battens.

k Plasterboard

ie Villaboard compartments, bath surrounds & vanity

a Contours Interior Wall Lining

Intry

nout

sh panel (6.0mm skin)

sh panel (6.0mm skin)

rail

panel (6.0mm skin) with internal steel frame recessed track eal

rail ay

le Bevel

ed MDF out (Excluding wet areas) le Bevel

ed Pine lS



Internal Linings, Doors & Architraves

Stairs & Balustrade

Item / Location	Description	Item / Location	n Description
Skirting	Specification: Single Bevel Size: 67x12mm	Main Internal S	tair
	Material: Pre Primed MDF Location: Throughout (Excluding wet areas)	Closed Stair	Riser: Closed Stringer: Underc
nternal Door Hardwa	re		Tread Material: A Finish: LOBADUF
Door Lever - Throughout	Zanda Boston Door Lever Code: 10081.BN Supplier: Zanda		Matt finish (clear) Stain: Stain to ma (by Contempora
	Finish: Brushed Nicklel Backset: 60mm Rose: 54mm screw on roseconcealed fixing	Balustrade	-
Door Lever with Privacy Adaptor (hinged doors only)	Zanda Boston Door Lever with integrated Privacy Adaptor Code: 10082.BN Supplier: Zanda Finish: Brushed Nicklel	Handrail	Description: 40m Bracket: Half Rou Stain: Stain to ma (by Contempora
	Backset: 60mm Rose: 54mm screw on roseconcealed fixing	Stair Balustrade	e Description: Fran
Flush Pull	Mardeco 'M' Series Flush Pull Code: BN8002/190 Supplier: The Lock Shop Specifications: H190 x 45mm Finish: Brushed Nickel		
Edge Pull	Zanda Heavy Duty Mortice Edge Pull Code: 5289.SS Supplier: Zanda Finish: Stainless Steel		
Privacy Adaptor (Sliding doors only)	Mardeco 'M' Series Flush Pull Privacy Set Code: BN8004/SET Supplier: The Lock Shop Door thickness: 34-50mm Backset: 50-55mm Finish: Brushed Nickel		
Door Stop - Throughout	Zanda Skirting Mount Door Stop 85mm length Code: 5240BN Supplier: Zanda		

Finish: Brushed Nickel

cut Stringer to both sides American Oak { 2-Pak R10 Anit- Slip coating,

atch Parana flooring ary Flooring Solutions)

nm dia. Round Timber Handrail und Stainless Steel (Satin) atch Parana flooring ary Flooring Solutions)

meless glass panel to ground floor



Appliances

Item / Location	Description	
Kitchen		
Cooktop	Bosch Series 6, 80cm Black Induction Cooktop w. frame Code: PVS875FB5E Size: 816 x 527mm Finish: Black Glass with Stainless steel side profiles Zones: 4	
Oven (x2)	Bosch Series 8, 60cm Built-in Oven with Pyrolytic cleaning Features: EcoClean Direct Size: H595 x W594 x D548 mm Finish: Black Code: HBG6753B1A	0
Dishwasher	Bosch Series 6, 60cm Semi-Integrated Dishwasher Size: H815-875 x W598 x D573mm Interior: Stainless Steel Tub Finish: Cabinetry panel Code: SMI6HCS01A	
Rangehood	Ilve 900mm Fully Integrated Rangehood Code: CU89-90 Finish: Stainless Steel Construction Motor: 920m3/h, Twin Motor Lighting: 2 spotlights Power Settings: 3	
Integrated Fridge / Freezer	Fisher & Paykel Integrated French Door Refrigerator Freezer, 90cm Code: RS90A1 Finish: Integrated with cabinetry panels	
BBQ		

Fittings & Fixtures

Item / Location	Description	Image
Kitchen		
Sink	Burazzo Undermount Double Bowl Sink 750mm Code: BU754522D Specification: W755xL450xD220mm Finish: Stainless Steel Qty: 1	
Tapware	Star Mini Pull Out Kitchen Mixer Supplier: EOS Bathware Code: STMI107 Finish: Brushed Nickel	
Laundry		
Trough	Burazzo Undermount Single Bowl 450mm (Deep) Code: BU454525S Specification: W450xL450xD250mm Finish: Stainless Steel Qty: 1	
Mixer	Spin Gooseneck Sink Mixer Code: SP120-BN Specification: 361.5H x pro.183.5mm Finish: Brushed Nickel Qty: 1	
Bathroom, Ensuite & Po	owder Rooms	A
Basin - Ensuite & Bathroom	Elissa Solid Surface Bench Mount Basin Matte White Code: BLU102-M Supplier: Highgrove Bathrooms Specification: W580 x L380 x D110 Qty: 3	0
Basin - Powder Room	Fine Lines Eden Bench Mount Basin Matte White Code: FL135-M Supplier: Highgrove Bathrooms Specification: Dia. 360 x H115mm Finish: Matt White Oty: 1	

Kitchen		
Sink	Burazzo Undermount Double Bowl Sink 750mm Code: BU754522D Specification: W755xL450xD220mm Finish: Stainless Steel Qty: 1	
Tapware	Star Mini Pull Out Kitchen Mixer Supplier: EOS Bathware Code: STMI107 Finish: Brushed Nickel	
Laundry		
Trough	Burazzo Undermount Single Bowl 450mm (Deep) Code: BU454525S Specification: W450xL450xD250mm Finish: Stainless Steel Qty: 1	
Mixer	Spin Gooseneck Sink Mixer Code: SP120-BN Specification: 361.5H x pro.183.5mm Finish: Brushed Nickel Qty: 1	
Bathroom, Ensuite & Po	owder Rooms	
Basin - Ensuite & Bathroom	Elissa Solid Surface Bench Mount Basin Matte White Code: BLU102-M Supplier: Highgrove Bathrooms Specification: W580 x L380 x D110 Qty: 3	0
Basin - Powder RoomFine Lines Eden Bench Mount Basin Matte White Code: FL135-M Supplier: Highgrove Bathrooms Specification: Dia. 360 x H115mm Finish: Matt White Qty: 1		



Fittings & Fixtures

Item / Location	Description	Image	Item / Location	Description	Image
Bottle Trap - Powder Room	Spin Bottle Trap Code: A186-E-BN Supplier: Highgrove Bathrooms Specification: 55mm x 158mm Finish: Brushed Nickel Qty: 1	ŀ	Freestanding Bath	Kado Lux Petite Freestanding Bath Code: 9502159 Supplier: Reece Size: L1500 x W750 x H600mm Finish: White Gloss Acrylic Qty: 1	
Tapware - Ensuite, Bathroom & Powder Room	Elysian Minimal Mixer & Spout Code: 14275 Supplier: ABI Interiors Mixer: 62mm dia. backplate Spout: 200mm pro. x 60mm dia. backplate Finish: Brushed Nickel Qty: 4	۹ ∽	Bath Spout	Spin Bath Wall Spout 220mm Code: SP090-220-BN Supplier: Highgrove Bathrooms Specification: Pro. 220mm Finish: Brushed Nickel Qty: 1	5
Shower - Ensuite	Spin Ceiling Dropper Brushed Nickel 450mm & Monsoon Round Shower Head 300mm Code: C450R-BN & MS300R-BN Supplier: Highgrove Bathrooms Dropper length: 450mm Shower Head: 300mm dia. Finish: Brushed Nickel Qty: 2 (1 of each)		Toilet Pan - Ensuite, Powder Room & GF Bathroom	Ollie Rimless Floor Pan Code: TOL3-W Supplier: Highgrove Bathrooms Inlet: Back Size: 365W x 570L x H430mm Seat Fixing Cap: Gloss White Finish: White ceramic Qty: 3	
Shower - Ensuite & Bathroom	Modo Shower Rail 850mm & Eden Hand Shower Code: R165-BN & EDEN-BN Supplier: Highgrove Bathrooms Rail Length: 850mm Finish: Brushed Nickel		Cistern - Ensuite & Powder Room	Concealed Pneumatic In Wall Cistern 80mm Code: K301-Q Supplier: Highgrove Bathrooms Size: 480 x 78 x 830mm Qty: 3	
Shower & Bath Mixer	Qty: 4 (2 of each) Spin In Wall Mixer Code: SP141-BN Supplier: Highgrove Bathrooms Back plate: Dia. 75mm Finish: Brushed Nickel Qty: 3	(C)	Toilet Buttons - Ensuite & Powder Room	Push Plate for Pneumatic Cistem Code: K5233-BN Supplier: Highgrove Bathrooms Specification: 236mm x 152mm Finish: Brushed Nickel Qty: 3	
Shower Diverter - Ensuite	Mesh In Wall Separate Diverter Kit Code: SPM191-BN Supplier: Highgrove Bathrooms Back plate: Dia. 40mm Finish: Brushed Nickel				

Qty: 1



Fittings & Fixtures

Item / Location	Description	Image	Item / Location	Description
Towel Rail - Ensuite & Bathroom	Spin Towel Rail 750mm Code: SP24-750-BN		Mirrors	
	Supplier: Highgrove Bathrooms Specification: W750mm Finish: Brushed Nickel Qty: 6 (3x per room)	~	Fixed Mirror - Powder Room	Timberline Ja Code: MVL10 Supplier: Tim Specification
Toilet Roll Holder - Powder Room, Ensuite, Bathroom	Spin Toilet Roll Holder Code: SP51-BN Supplier: Highgrove Bathrooms		Recessed Shaving	Finish: White Qty: 1 Timberline Ja
	Specification: W150 x pro.80mm Finish: Brushed Nickel Qty: 3		Cabinet - Ensuite	Code: JZA-S(Supplier: Tim Specification Hinge: 1x left
Hand Towel Rail - Powder Room, Ensuite, Laundry, GF Bathroom	Spin Hand Towel Rail 250mm Code: SP51-BN Supplier: Highgrove Bathrooms Specification: W250mm (fixing points) x pro.70mm Finish: Brushed Nickel Qty: 4	s		Finish Interior Finish Edge: \ Qty: 1
Towel Hook - Ensuite & Bathroom	Spin Robe Hook Code: SP54-BN Supplier: Highgrove Bathrooms Specification: D.40 x pro60mm Finish: Brushed Nickel Qty: 3 (1 x Bath & 2 x Ens)			
Push Plug - Basins	Turn Down Basin Waste without Overflow 32mm Code: TDW3240-M Supplier: Highgrove Bathrooms Finish: Matte White Qty: 1x per basin			
Push Plug - Bath	Turn Down Basin/Bath Waste without Overflow 40mm Code: TDW3240-BN Supplier: Highgrove Bathrooms Finish: Brushed Nickel Qty: 1x per bath			

Image





Joinery & Stone

em / Location	Description	Image	Item / Location
itchen			Drawer System - Throughout
one Benchtop & nd Panel	Specification: Porcelain Benchtop Detail: Mitred Edge, Minimal Aris Supplier: Neolith Colour: Calacatta	North Contraction	
	Finish: Satin Stone Cutout: Undermount sink	A.	Drawer / Door Hardware - Below Bench
olashback	Specification: H700mm Porcelain Splashback Supplier: Neolith Colour: Calacatta Finish: Satin Stone Cutout: Powerpoint	A Carlor	Door Hardware - Appliance Cbrd & Integrated Fridge
and Bench Rear nel & Side Return	Specification: Porta Contours Lining Boards with corner beads Supplier: Joiner		
	Profile: Riverine Species: Engineered American Oak Finish: Stained to match flooring		Inner Drawers - Appliance Cbrd
nery – throughout cookline kicker & ved panel	Specification: 2-Pak to exposed panels Supplier: By Joiner Internal Carcass: White melamine,		
	smooth Colour: Dulux Lexicon Quarter Finish: 30% Satin		Utensil Insert - 800mm
Panel & Kicker - Id Bench Only	Specification: Timber veneer Supplier: By Joiner Species: White American Oak		
	Finish: Stained to match flooring		Cutlery Insert - 800mm
er Drawer	Specification: TANDEMBOX Intivo M-height drawer (83mm) Supplier: By Joiner Runners: TANDEM with soft-close BLUMOTION Finish: Silk White (SW)		

	Image
IDEMBOX Intivo r	
with soft-close	
SW)	
nm recessed fingerpull r binery finish	
nline Metal Handle easure	
1 centre): 352mm	°C 1
h High Fronted Glass	
egrabox SW-M) 177mm), includes tion	
m ORGALINE Cutlery	
er ength: 500mm eel 13N	
m ORGALINE Cutlery	
r ength: 500mm eel 113	



Joinery & Stone

Item / Location	Description	Image	Item / Location	Description
Under Sink Caddy	Specification: Tansel Stainless Steel Wire Detergent Pull Out – Bottom Mount Supplier: By Joiner Finish: Stainless Steel Size: W100 (top) / W250 (bottom) x H430 x D485mm		Drawer System - Throughout	Specification: TANDE Supplier: By Joiner Runners: TANDEM wi BLUMOTION Finish: Silk White (SW
Pull Out Double Bin	Specification: Wesco Pull Boy 2x32L Waste Bin Supplier: Wilson Bradley Runners: Blum TANDEMBOX with BLUMOTION Cabinet width: 450mm		Door / Drawer Hardware	Specification: Momo Handle Supplier: Momo Han Size: 150mm L Finish: Matt White Code: FER150.WH.FG
	Size: W418 x D510 x H565 mm Finish: Grey matt Code: WBPB4564		Hanging Rail	Rail: Hafele Oval 30x1 Supplier: By Joiner Support: Rail support side panel
Powder Room				Finish: Chrome
Benchtop	Specification: Reconstituted Stone		Ensuite	
	Benchtop Edge Detail: Mitred, Minimal Aris Supplier: Caesarstone Range: Deluxe Range Colour: Pure White 1141 Finish: Polished Stone Cutout: Above Counter		Benchtop	Specification: Recons Benchtop Edge Detail: Polishec Supplier: Caesarston Range: Deluxe Rang Colour: Pure White 11 Finish: Polished
Joinery	Excluded			Stone Cutout: Above
Bed 1 - Walk in Robe			Joinery	Specification: Polyted laminated doors with
Joinery	Specification: Polytec Thermo- laminated doors with Chifley Profile Supplier: Polytec Carcass: White melamine, smooth			Supplier: Polytec Carcass: White melar Colour: Ultra White Finish: Matt
	Colour: Ultra White Finish: Matt		Drawer / Door Hardware - Below Bench	Specification: Momo Handle Supplier: Momo Han Size: 100mm L

Description	Image
Specification: TANDEMBOX Intivo Supplier: By Joiner Runners: TANDEM with soft-close BLUMOTION Finish: Silk White (SW)	
Specification: Momo Ferarra Lip Pull Handle Supplier: Momo Handles Size: 150mm L Finish: Matt White Code: FER150.WH.FG	b
Rail: Hafele Oval 30x15mm OVA rail Supplier: By Joiner Support: Rail support screw fixed to side panel Finish: Chrome	
Specification: Reconstituted Stone Benchtop Edge Detail: Polished Edge Supplier: Caesarstone Range: Deluxe Range Colour: Pure White 1141 Finish: Polished Stone Cutout: Above Counter	
Specification: Polytec Thermo- laminated doors with Chifley Profile Supplier: Polytec Carcass: White melamine, smooth Colour: Ultra White Finish: Matt	
Specification: Momo Ferarra Lip Pull Handle Supplier: Momo Handles Size: 100mm L Finish: Matt White Code: FER100.WH.FG	Þ.



Joinery & Stone

Item / Location	Description	Image
Laundry		
Benchtop	Specification: Reconstituted Stone Benchtop Supplier: Caesarstone Range: Deluxe Range	
loipor	Colour: Pure White 1141 Finish: Polished Stone Cutout: Above Counter	
Joinery	Specification: Laminate finish to exposed panels with ABS edging Carcass: White melamine, smooth Supplier: Polytec Colour: Polar White Finish: Matt	
Joinery - Floating Shelf & Rail	Specification: Timber Veneer shelf with custome timber hanging rail Supplier: By Joiner Colour: White American Oak	
Drawer / Door Hardware - Below Bench	Finish: Satin Specification: 25mm recessed fingerpull Supplier: By Joiner Finish: To match joinery finish	
Door Hardware -	Specification: Momo Ferarra Lip Pull	
Broom / Linen	Handle Supplier: Momo Handles Size: 150mm L Finish: Matt White Code: FER150.WH.FG	•
GF Bathroom	_ : :	
Benchtop	Specification: Reconstituted Stone Benchtop Edge Detail: Polished Edge Supplier: Caesarstone Range: Deluxe Range Colour: Pure White 1141 Finish: Polished	

Stone Cutout: Above Counter

	Image
vtec Thermo- with Chifley Profile elamine, smooth e	
essed shaving or door r elamine, smooth	
mo Ferarra Lip Pull	
landles	F.
FG	
rtec laminate elamine, smooth re	
vtec laminate elamine, smooth e	



Robes & Cupboards

Item / Location	Description	Image	
Bed 2 & 3 Built-in Robe			
Insert Cupboard	Specification: Prelaminated robe doors with concealed hinged Carcass: White melamine, smooth Jamb: Laminate Supplier: Laminex Colour: Calm White Finish: Natural Code: 8522		
Door Hardware - Broom / Linen	Specification: Momo Ferarra Lip Pull Handle Supplier: Momo Handles Size: 150mm L Finish: Matt White Code: FER150.WH.FG	b	
Hanging Rail	Rail: Hafele Oval 30x15mm OVA rail Supplier: By Joiner Support: Rail support screw fixed to side panel Finish: Chrome		
First Floor Linen Cupbo	bard		
Insert Cupboard Specification: Prelaminated robe doors with concealed hinged Carcass: White melamine, smooth Jamb: Laminate Supplier: Laminex Colour: Calm White Finish: Natural Code: 8522			
Door Hardware - Broom / Linen	Specification: Momo Ferarra Lip Pull Handle Supplier: Momo Handles Size: 150mm L Finish: Matt White Code: FER150.WH.FG	b -	

Mirror & Glass

Item / Location	Description			
Bathrooms				
Mirror GF Bathroom	Specification: 6mm Supplier: Dynamic (Trim: Polished alum			
Glass Shower Screens	Size: Refer to detaile Specification: 10mm shower screen with hinged door Height: H2700mm Location: Ensuite & G			
Walk in Robe				
Fixed Mirror	Specification: 6mm Supplier: Dynamic (Trim: Polished edge Location: Full length direct fix to wall & H dresser			

Wall Tiling & Floor Finishes

Wall Tiling	
TL01	Supplier: Tile Fusior Details: Rectified Ce Size: 300 x 600 mm Finish: Satin Grout: Ardex Ultra \ Laying Style: Horizo
TL02	Supplier: Tile Fusior Details: T-Stone, Lig Size: 300 x 600 mm Grout: Ardex Misty Laying Style: Horizo

Image

n Fixed Mirror : Glass	
ninium trim	
iled drawings m frameless clear h frameless glass	
h frameless glass	
GF Bathroom	
n Fixed Mirror : Glass ge	
th fixed mirror - H400mm mirror to	

on Feramic White Wall Tile M

i White zontal Stackbond

on ight Grey, Matt m y Grey 241 zontal Stackbond



Wall Tiling & Floor Finishes

Item / Location	Description	Image
TL03 Skirting Tile	Supplier: Tile Fusion Details: Rectified Ceramic White Wall Tile Size: 100 x 600 mm Finish: Satin Grout: Ardex Ultra White	
TLO4	Supplier: Artedomus Details: INAX 'Yohen Border' Mosaic Code: YKR1 Tile Size: 145×20mm Sheet Size: 296×292.5mm sheet Grout: Ardex Misty Grey 241 Laying Style: Vertical Stackbond Location: Powder Room & Ensuite	
TL05 Laundry Splashback	Supplier: Tile Fusion Details: Rectified Ceramic White Wall Tile Size: 100 x 300 mm Finish: Satin Grout: Ardex Ultra White	
Floor Finishes	·	
Floor Tile Laundry Ensuite Bathroom	Supplier: Tile Fusion Size: 300 x 600mm Details: T Stone, Light Grey, Matt Grout: Ardex Misty Grey 241 Laying Style: Horizontal Stackbond	
Carpet Bedrooms Bed 1 WIR	Specification: 100% Wool Pile Type: Level Loop Range: Tuftmaster 'Rossmore Heather' Colour: Ghost Gum 150	
Engineered Timber Flooring Entry GF Hall Retreat Kit / Liv / Dining FF Powder Room	Supplier: Contemporary Flooring Solutions Range: Preference Floors - Prestige Oak Size: 2200mm x 220mm x 21mm Colour: Parana Grade: A/B grade boards only	

Interior Paint

Item / Location	Description		
Interior Paint Refer to Haymes Paint	Interior Paint Refer to Haymes Paint Specification documents fo		
Walls	Finish: Haymes Low Colour: Dulux Lexico Application: 1 Coat - Ultra Premi Ultraseal 2 Coats - Ultra Prem Interior		
Ceilings	Finish: Haymes Ceili Colour: Dulux Lexico Application: 1 Coat - Ultra Premi Ultraseal 2 Coats - Ultra Prem Ceiling White		
Doors, Architraves & Skirting	Finish: Haymes Sem Colour: Dulux Lexico Application: 1 Coat - Ultra Premi Ultraseal 2 Coats - Ultra Prem (Oil Based)		
Entry Door Frame - Internally	Finish: Haymes Sem Colour: Dulux Lexico Application: 1 Coat - Ultra Premi Ultraseal 2 Coats - Ultra Prem (Oil Based)		

Image

or full preparation & application information sheen con Quarter nium Prepcoat mium Expressions iling White con Quarter nium Prepcoat mium Expressions mi Gloss con Quarter nium Prepcoat mium Trim Enamel mi Gloss con Quarter nium Prepcoat mium Trim Enamel



Finishes

Item / Location	Description	Image	
Fencing			
Front Porch Fence & Gate	2500mm high 42mm LOSP battens to match garage door with 1000mm wide gate		
Side Yard Gate	1900mm high x 900mmW timber picke intertenancy fence	1900mm high x 900mmW timber pickets to match front intertenancy fence	
Pedestrian Gate Latch (for side yard gate & laneway pedestrian gate)	Dual Lokk Latch Pro SL Colour: Black Material: Metal/Wood (as per gate ma Security: Key Lockable	terial)	
Frameless Glass Balustrade	Description: 12mm clear toughened gl Capping Rail: 25 x 20mm Stainless Stee Fixing: Concealed Galvanised Channe From Pheonix Safety Rail	el RHS	
Letterbox	Structure: 1600mm high rendered block pier with PC aluminium fascia Model: Model: REAR ENTRY. 316 Enhanced Brush Finish Stainless w/ no text (440W x 230H x 230D) Numbering: Laser cut number into fascia Supplier: The Letterbox Shop		
Screens			
Louvre Screen (SCR-02)	Description: 1700mm high Aluminium aluminium frame Elliptical Blade Size: 100mm Blade Angle: 45 degrees Blade Centres: 80mm Finish: Powdercoated Colour: Black Satin	louvre screen in PC	

